

THE CSU ACCELERATOR AND FEL FACILITY*

S. Milton, S. Biedron, T. Burleson, C. Carrico, J. Edelen, C. Hall, K. Horovitz, A. Morin, L. Rand, N. Sipahi, T. Sipahi, CSU, Fort Collins, Colorado, USA
 P. van der Slot, Mesa+, Enschede, NL and CSU, Fort Collins, Colorado, USA
 H. Yehudah, Morgan Park Academy, Chicago, Illinois, USA
 A. Dong, University of Illinois, Urbana, Illinois, USA

Abstract

The Colorado State University (CSU) Accelerator Facility will include a 6-MeV L-Band electron linear accelerator (linac) with a free-electron laser (FEL) system capable of producing Terahertz (THz) radiation, a laser laboratory, a microwave test stand, and a magnetic test stand. The photocathode drive linac will be used in conjunction with a hybrid undulator capable of producing THz radiation. Details of the systems used in CSU Accelerator Facility are discussed.

FACILITY GOALS

There is an expanding demand across a wide variety of discipline in academia, laboratories, and industry for particle accelerators [1,2]. The growing demand of trained accelerator experts continues to motivate the expansion of facilities in a university setting dedicated to training engineers and physicists in accelerator technology. Part of the goal of the CSU Accelerator Facility is to provide a place where both accelerator research and training of high-school through post-doctoral students can flourish. The CSU Accelerator Facility will initially focus on generating long-wavelength free-electron lasers, electron-beam components, and peripherals for free-electron lasers and other light sources. It will also serve as a test bed for particle and laser beam research and development.

FACILITY OVERVIEW

There are four major systems to the CSU Accelerator Facility: an accelerator and FEL system, a laser laboratory, a microwave test stand, and a magnetic test stand. A diagram of the setup of the major accelerator and FEL components is shown in Figure 1. Overviews of the accelerator, undulator, the laser laboratory, the microwave test stand, and the magnetic test stand are given in the following sections.

The Accelerator

The linac to be used was constructed by the Los Alamos National Laboratory for the University of Twente. The University of Twente has generously donated the entire system for use at CSU and their team will remain in close collaboration with CSU.

The accelerator is a five and a half cell copper structure operating at an RF frequency of 1.3 GHz. The accelerator

* Work supported by Colorado State University, the Office of Naval Research, and the High-Energy Laser Joint Technology Office.
 Corresponding author: Milton@engr.colostate.edu

will operate at a 10-Hz repetition rate and a micropulse repetition rate of 81.25 MHz (the 16th subharmonic of 1.3 GHz). Additional specifications are given in Table 1.

Table 1: Linear Accelerator Characteristics

Energy	6 MeV
Number of Cells	5 ½
RF Frequency	1.3 GHz
Unloaded Q	18,000
Axial Electric Field	
Cell no. 1	26 MV/m
Cell No. 2	14.4 MV/m
Cell No. 3 - 6	10.6 MV/m
Peak Solenoid Field	1,200 G




Figure 1: Schematic of the accelerator and FEL.

Initial characterization of a single linac cell was performed using SUPERFISH (Figure 2) [3]. This included an assessment of the variation in resonant frequency due to thermal expansion. Thermal expansion calculations showed a possible shift of about 200 kHz/°C that is acceptable for resonant tuning via water temperature control.

Work is currently being done to build a total cavity model combined with solenoid and beamline models to establish the initial setup requirements for operation.

The cathode preparation chamber for the accelerator can support a variety of cathode types, including those previously used: CsK₂Sb, K₃Sb, and copper. In the high vacuum of the preparation chamber (~4x10⁻¹⁰ Torr), it has been demonstrated that acceptable cathode lifetimes can be on the order of days.

The laboratory will also have the capability for undulator characterization through modification of the test stand and data acquisition software. The University of Twente undulator will be the first to be characterized in the laboratory.

Table 3: Basic Undulator Characteristics

Type	Hybrid: Sm ₁ Co ₅
K value	1 (at 8 mm gap)
Undulator period	25 mm
Total periods	50
Half gap	4.0 mm
Overhang of magnet	6.0 mm
Half thickness of pole	2.00 mm
Half thickness of magnet	4.25 mm
Height of pole	40.0 mm
Height of magnet	45.0 mm
Half width of pole	15.0 mm
Half width of magnet	21.0 mm




Figure 4: Wavelength spectrum of FEL radiation.



Figure 5: University of Twente quadrupole doublet undergoing initial measurements.

The Microwave Laboratory

A microwave test stand is being established for use in characterization of accelerating structures. Initially the

setup will be used as a training platform for executing electric field measurements of cavity structures. The setup will measure transmission and reflection in conjunction with perturbations to map the internal cavity fields. The first test piece will be a X-band RF accelerating structure on loan from the SLAC National Laboratory.

A mount has been designed, fabricated and installed for use in holding an X-Band cavity during bead pull measurements for cavity characterization (Figure 6). The necessary electronics for these measurements have been installed and calibrated. Stepper controller and measurement system programming for the test stand is still in progress.

Other RF measurement configurations will include ballistic bunch compression and higher-order mode guns donated by Argonne National Laboratory [6]. Additional linac and other RF devices developed here at CSU will also be tested.




Figure 6: X-band cavity mounted in test stand for electric field characterization.

PLANNED FIRST EXPERIMENTS

Following initial commissioning of the linac/laser system, the accelerator facility will first replicate the FEL experiment originally performed at the University of Twente. This will serve as a baseline characterization of the machine and allow the CSU users to become familiar with the equipment. Following the initial FEL test the accelerator will then be used as a platform for testing newly developed technologies and for training.

In parallel to the linac/laser commissioning tests we will also be developing an electro-optical sampling (EOS) system for high-power, relatively low-energy beam applications. Initially, two methods of EOS will be tested in the lab against a balanced diode detection system. Plasma THz pulses will be generated with the amplified Ti:Sapphire laser at 800 nm. These pulses will be used to simulate the low energy electron beam bunches for each method of electro-optical sampling. One method will utilize only the Ti:Sapphire oscillator for the EOS measurement, while the other will require the amplified laser pulses. Each method uses a probe pulse through an electro optical (EO) crystal that is polarized to act as a gate; this gate will open only when the electric field from

Copyright © 2012 by the respective authors

an electron bunch is present. The plasma THz pulses in the lab could in theory be used to simulate low emittance, high current bunches. Measurement of the simulated bunch profiles by the EO crystal systems will be compared against a balanced diode detection system known to be too susceptible to noise to be useful in a beam environment. [7,8]

Work will also be conducted on the testing of new materials for photocathode use. The first of these experiments will be centered on $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3$ (electride), a crystalline ceramic. Electride is a promising candidate for use as a photocathode material due to its very low work function of 0.82 eV [9] and resistance to contamination. Using the laser laboratory at CSU, investigation into electride's quantum yield as a function of incident light wavelength will be performed.

ACKNOWLEDGMENTS

We wish to thank the University of Twente and the Boeing Company for the gracious donation of the linear accelerator and laser, respectively. Also we wish to thank the SLAC National Accelerator Facility for the loan of the X-Band structure and Argonne National Laboratory for the donation of several RF cavities. Finally, we wish to thank the senior management of CSU for their support of the accelerator laboratory and accelerator education.

REFERENCES

- [1] See, for example, "Accelerators for America's Future," Department of Energy, Office of Science, 2010.
- [2] See, for example, "Office of High Energy Physics Accelerator R&D Task Force Report," Department of Energy, May 2012.
- [3] J. Billen "Poisson Superfish Codes" Los Alamos National Laboratory, Copyright 1985-2005.
- [4] J.W.J. Verschuur, G.J. Ernst and W.J. Witteman, "The "TEUFEL" undulator," Nuclear Instruments and Methods in Physics Research A318 (1992) 847-852.
- [5] See, for example, G.J. Ernst, et al., "First lasing of TEUFEL," Nuclear Instruments and Methods in Physics Research A 375 (1996) 26-27.
- [6] S.G. Biedron, "Investigation of Normal-Conducting and Superconducting RF Guns with Tunable Pulse Compression and Higher-Order Modes," Joint Technology Office Annual Review, Albuquerque, 3-5 May 2005.
- [7] See, for example, S. Jamison, et al. "Femtosecond Resolution Bunch Profile Measurements", Proceedings of EPAC 2006, Edinburgh, Scotland.
- [8] See, for example, M. Veronese, et al., Laboratory Characterization of Electro Optical Sampling (EOS) and THz Diagnostics for FERMI by Means of a Laser Driven Pulsed THz Source, FEL Conference Proceedings (2009).
- [9] L.P. Rand et al., "Electride Photocathode for Free Electron Lasers" Proceedings of the 2012 Directed Energy Professional Society's Advanced High Power Lasers and Beam Control Conference, Broomfield, CO.