

# DISPERSIVE PROPERTY OF THE PULSE FRONT TILT OF A SHORT PULSE OPTICAL UNDULATOR\*

M-H. Wang<sup>†</sup>, J. Wu, and Z. Wu, SLAC, Menlo Park, CA 94040, USA

J. Liang, Department of Biomedical Engineering, Washington University in St. Louis, St. Louis, MO 63130, USA

## Abstract

A short pulse laser can be used as an optical undulator to achieve a high-gain and high-brightness X-ray free electron laser (FEL) [1]. To extend the interaction duration of electron and laser field, the electron and laser will propagate toward each other with an small angle. In addition, to maintain the FEL lasing resonant condition, the laser pulse shape need be flattened and the pulse front will be tilted. Due to the short pulse duration, the laser pulse has a broad bandwidth. In this paper, we will first describe the method of generalized Gaussian beam propagation using ray matrix. By applying the Gaussian beam ray matrix, we can study the dispersive property after the pulse front of the short laser is tilted. The results of the optics design for the proposal of SLAC Compton scattering FEL are shown as an example in this paper.

## INTRODUCTION

With rapid progress in generating table-top terawatt laser pulse and fiber optics, the optical undulator can provide effective magnetic field  $B_u$  on the order of kilo-Tesla, which can provide strong enough effective undulator strength  $K$  for lasing. To fulfil an optical undulator for FEL, the interaction range of electron and laser pulse should be with 10-20 FEL gain length, and the equivalent undulator strength  $K$  should be kept constant for a given radiation  $\gamma$ . In order to increase the electron and laser pulse interaction range, the laser and electron need to co-propagate synchronously.

It is known that the angular dispersion (AD) will generate pulse front tilt (PFT). Gratings are ideal for this purpose as they can introduce large linear angular chirps. Nevertheless, besides the PFT, AD will also increase spatial dispersion (SD). As the pulse propagates, different frequency in the pulse becomes increasingly separated from each other. AD will also introduce negative group-delay dispersion (GDD). Both SD and GDD will lead temporal broadening of the laser and degrade the performance of the optical undulator in FEL. Therefore it is important to investigate the dispersive property before the PFT laser is sent to interact with an electron bunch.

The geometrical optics uses ray transfer matrix (also called ABCD matrix) to trace the light ray path through space and optical devices. Take one dimension ray trace for example:

$$\begin{pmatrix} x \\ \theta \end{pmatrix}_{out} = \begin{pmatrix} A & B \\ C & D \end{pmatrix}_n \cdots \begin{pmatrix} A & B \\ C & D \end{pmatrix}_1 \begin{pmatrix} x \\ \theta \end{pmatrix}_{in} \quad (1)$$

where  $x$  is position,  $\theta$  is the slope and matrices 1 to  $n$

represent different optical components or spaces. The radius of curvature of the ray is  $q = \frac{x}{\theta}$ . The ABCD law for the radius of curvature is:

$$q_{out} = \frac{Aq_{in} + B}{Cq_{in} + D} \quad (2)$$

It is easy to extend the ray transfer matrix to two dimensions. Where  $A$ ,  $B$ ,  $C$ , and  $D$  become 2 by 2 matrices.

The ABCD matrix could be extended to ‘‘ray-pulse’’ matrices which takes account of dispersive effects in both spatial coordinates (as in the usual paraxial ABCD matrix approach) and in the temporal domain [2]. These matrices could be applied to write a space-time integral analogous to a generalized Huygens integral. By using both ray-pulse matrices and the propagation laws for Gaussian ray pulses which are space and time varying, the conventional results for Gaussian beams through various optical components could be derived. In this paper, we will first describe the method of generalized Gaussian beam propagation using ray matrix. By applying this method, we will investigate the dispersive properties of the optics design for the proposal of SLAC Compton scattering FEL.

## GENERALIZED GAUSSIAN BEAM PROPAGATION USING RAY MATRIX

A short pulse laser is a finite size Gaussian beam. The electric field of the laser propagating along the  $z$ -axis in  $(x, \omega)$  space can be expressed as:

$$E(x, \omega) = E_0 \exp\left(-\frac{\omega^2 \tau_0^2}{4}\right) \exp\left(-i \frac{k_0 x^2}{2q}\right) \quad (3)$$

where  $k_0$  is the nominal wave-number,  $\omega$  is the offset from the centre angular frequency,  $\tau_0$  is the pulse length and  $q$  is the complex  $q$  parameter of a Gaussian beam:

$$\frac{1}{q(z)} = \frac{1}{z + iZ_R} = \frac{1}{R(z)} - i \frac{\lambda_0}{\pi W^2(z)} \quad (4)$$

where  $Z_R$  is the Rayleigh range,  $R(z)$  is the radius of curvature of the wave front,  $\lambda_0$  the nominal wave length and  $w(z)$  is the spot size  $w(z) = w_0 \sqrt{1 + \left(\frac{z}{Z_R}\right)^2}$  with  $w_0$  being the waist size.

A comprehensive matrix method for propagating Gaussian ultrashort pulses with Gaussian spatial profiles having spatio-temporal couplings was given by Kostenbauder [2]. The ray-pulse matrix for an optical system that introduces couplings can be written as [3]:

\* Work supported by the US DOE No. DE-AC02-76SF00515.

<sup>†</sup> mhwang@slac.stanford.edu

$$K = \begin{bmatrix} \frac{\partial x_{out}}{\partial x_{in}} & \frac{\partial x_{out}}{\partial \theta_{in}} & 0 & \frac{\partial x_{out}}{\partial v_{in}} \\ \frac{\partial \theta_{out}}{\partial x_{in}} & \frac{\partial \theta_{out}}{\partial \theta_{in}} & 0 & \frac{\partial \theta_{out}}{\partial v_{in}} \\ \frac{\partial t_{out}}{\partial x_{in}} & \frac{\partial t_{out}}{\partial \theta_{in}} & 1 & \frac{\partial t_{out}}{\partial v_{in}} \\ 0 & 0 & 0 & 1 \end{bmatrix} = \begin{bmatrix} A & B & 0 & E \\ C & D & 0 & F \\ G & H & 1 & I \\ 0 & 0 & 0 & 1 \end{bmatrix} \quad (5)$$

This Kostenbauder matrix can be used to model optical elements and their effects in transforming input pulse parameters (expressed as a vector) to output ones. The electric field of a finite size Gaussian beam in ray-pulse matrix formula is [3]:

$$E(x, t) = \exp\left\{-i \frac{\pi}{\lambda_0} \begin{pmatrix} x \\ -t \end{pmatrix}^T Q^{-1} \begin{pmatrix} x \\ t \end{pmatrix}\right\} \\ = \exp\left\{-i \frac{\pi}{\lambda_0} [(Q^{-1})_{11}x^2 + (Q^{-1})_{12}xt - (Q^{-1})_{21}xt - (Q^{-1})_{22}t^2]\right\} \quad (6)$$

$$(Q^{-1})_{11} = \frac{1}{q} = \frac{1}{R(z)} - i \frac{\lambda_0}{\pi W^2(z)}, (Q^{-1})_{22} = i \frac{\lambda_0}{\pi \tau^2} \quad (7)$$

$$PFT = \frac{Im((Q^{-1})_{12} - (Q^{-1})_{21})}{2Im((Q^{-1})_{22})} \quad (8)$$

The slice beam size  $\Delta x_l(t)$  and the correlated beam size  $\Delta x_G(t)$  are [3]:

$$\Delta x_l(t) = \frac{1}{2} \left( \frac{\lambda_0}{\pi} \frac{1}{Im(Q^{-1})_{11}} \right)^{1/2} \quad (9) \\ \Delta x_G(t) = \frac{1}{2} \left( \frac{\lambda_0}{\pi} \frac{Im(Q^{-1})_{22}}{Im(Q^{-1})_{11}Im(Q^{-1})_{22} + Im(Q^{-1})_{12}^2} \right)^{1/2}$$

The slice pulse width  $\Delta t_l$  and the correlated pulse width  $\Delta t_G$  are:

$$\Delta t_l = \frac{1}{2} \left( \frac{\lambda_0}{\pi} \frac{1}{Im(Q^{-1})_{22}} \right)^{1/2} \\ \Delta t_G = \frac{1}{2} \left( \frac{\lambda_0}{\pi} \frac{Im(Q^{-1})_{11}}{Im(Q^{-1})_{11}Im(Q^{-1})_{22} + Im(Q^{-1})_{12}^2} \right)^{1/2} \quad (10)$$

For an input pulse with no spatio-temporal distortions and flat phase

$$Q_{in} = \begin{bmatrix} q_0 & 0 \\ 0 & -i \frac{\pi \tau_0^2}{\lambda_0} \end{bmatrix}, q_0 = i \frac{\pi w_0^2}{\lambda_0} \quad (11)$$

The output  $Q$  matrix is:

$$Q_{out} = \frac{\begin{bmatrix} A & 0 \\ G & 1 \end{bmatrix} Q_{in} + \begin{bmatrix} B \\ H \\ \frac{E}{\lambda_0} \\ \frac{I}{\lambda_0} \end{bmatrix}}{\begin{bmatrix} C & 0 \\ 0 & 1 \end{bmatrix} Q_{in} + \begin{bmatrix} D \\ \frac{F}{\lambda_0} \\ 0 \\ 1 \end{bmatrix}} = \frac{\bar{A} Q_{in} + \bar{B}}{\bar{C} Q_{in} + \bar{D}} \quad (12)$$

Using the output  $Q$ -matrix, virtually all the properties of the output pulse through the optical components can be studied. The  $Q$ -matrix in  $x$ - $t$  domain can be transformed to  $x$ - $\omega$ ,  $k$ - $\omega$  and  $k$ - $t$  domains using analytical relations derived in [3]. In this paper, we investigate the SD after the PFT. Therefore, we also like to investigate the  $x$ - $\omega$  domain. From [3]:

$$E(x, \omega) \propto \exp\{R_{xx}x^2 + R_{x\omega}x\omega - R_{\omega\omega}\omega^2\} \quad (13)$$

The corresponding Fourier transformed matrix components are:

$$R_{xx} = -i \frac{\pi}{\lambda_0} ((Q^{-1})_{11} + \frac{(Q^{-1})_{12}^2}{(Q^{-1})_{22}}) \\ R_{x\omega} = -\frac{\pi}{2\lambda_0} \frac{(Q^{-1})_{12}}{(Q^{-1})_{22}} \\ R_{\omega\omega} = -i \frac{\pi}{4\lambda_0} \frac{1}{(Q^{-1})_{22}} \quad (14)$$

The slice beam size  $\Delta x_l(\omega)$  and the correlated beam size  $\Delta x_G(\omega)$  are [3]:

$$\Delta x_l(\omega) = \frac{1}{2} \left( -\frac{1}{Re(R_{xx})} \right)^{1/2} \\ \Delta x_G(\omega) = \frac{1}{2} \left( \frac{Re(R_{\omega\omega})}{Re(R_{xx})Re(R_{\omega\omega}) + Re(R_{x\omega})^2} \right)^{1/2} \quad (15)$$

The slice pulse width  $\Delta t_l$  and the correlated pulse width  $\Delta t_G$  are:

$$\Delta \omega_l = \frac{1}{2} \left( -\frac{1}{Re(R_{\omega\omega})} \right)^{1/2} \\ \Delta \omega_G = \frac{1}{2} \left( \frac{Re(R_{xx})}{Re(R_{xx})Re(R_{\omega\omega}) + Re(R_{x\omega})^2} \right)^{1/2} \quad (16)$$

The physical meaning of the coupling terms  $Re(R_{x\omega})$  is related to SD  $\frac{\partial x_0}{\partial \omega} = -\frac{Re(R_{x\omega})}{Re(R_{xx})}$  and the  $Im(R_{x\omega})$  is wavefront-tilt dispersion (WFD). The couplings correlation coefficient is defined:

$$\rho_{x\omega} = \frac{Re(R_{x\omega})}{\sqrt{-Re(R_{xx})Re(R_{\omega\omega})}} \\ \Delta x_l(\omega) = \Delta x_G(\omega) \sqrt{1 - \rho_{x\omega}^2} \\ \Delta \omega_l = \Delta \omega_G \sqrt{1 - \rho_{x\omega}^2} \quad (17)$$

## INVESTIGATION OF THE DISPERSIVE PROPERTY OF OPTICS DESIGN

With the knowledge of pulse ray matrix propagation, we are able to investigate the dispersive property of the optics design. Figure 1 is a schematic layout of optics design for the proposal of SLAC Compton scattering FEL. The purpose of the design is to flat the Gaussian laser pulse and provide PFT to sheer the beam so that the interaction region can be extended [3]. In this paper, we concentrate on the study of dispersive properties; therefore the component digital micromirror device (DMD) in Fig. 1 is treated as grating in the analysis. The incident angle into grating  $G$  is  $3^\circ$  and the angle of reflection is  $24^\circ$ . The following  $4f$  system recombines all




Figure 1: Schematic layout of optic design for the proposal of SLAC Compton scattering FEL. Where  $G$  means grating,  $L1, L2$ : lenses, DMD: digital micromirror device,  $S$ : slit. The yellow line represents an input fs pulse, red line chief ray of the longest wavelength  $\lambda_l$ , green line chief ray of the central wavelength  $\lambda_c$ , blue line chief ray of the shortest wavelength  $\lambda_s$ . The black dash line represents the image plane and the purple dash line the pulse front.

spectral components at the DMD plane. The diffraction grating  $G$  and the DMD are placed symmetrically to ensure a correct imaging relationship. The incident angle into DMD is  $24^\circ$  and the reflect angle is  $0^\circ$ . Another  $4f$  system recombines the spectral at the Relay optics. The Relay optics is chromatic and is designed to compress the vertical beam from mm to  $\mu\text{m}$ . At this moment the detail design of Relay optics has not been finished yet. Since it is chromatic it is not contributed to the dispersive effect. We will skip it at this investigation. An 800 nm titanium-sapphire laser with  $\Delta x_G = 20 \text{ mm}$ ,  $\Delta t_G = 20 \text{ fs}$  is used as the initial pulse. The amplitude of the initial pulse electrical field distributions in  $x-t$  and  $x-\omega$  domain are shown in Fig. 2.




Figure 3 The laser pulse before the Relay optics in  $x-\omega$  (left) and  $x-t$  (right) domains.

Table 1: Ray Parameters

	Initial	Final
PFT	0	1.16E-10
$\Delta x_l(t), \Delta x_G(t)$	0.02, 0.02	1.7E-4, 0.03
$\Delta t_l, \Delta t_G$	2E-14, 2E-14	2E-14, 3.5E-12
$\Delta x_l(\omega), \Delta x_G(\omega)$	0.02, 0.02	0.03, 0.03
$\Delta \omega_l, \Delta \omega_G$	2.5E13, 2.5E13	2.5E13, 2.5E13

## CONCLUSION

By using ray-pulse matrices, we are able to investigate the properties of short pulse laser after propagated through a series of optic components. From the investigation we prove we can design an optics system without SD after the PFT. However there is  $Im(R_{x\omega})$  term contribution from wave-front-tilt dispersion remained.

## REFERENCES

- [1] C. Chang, et al., "High-brightness X-ray free-electron laser with an optical undulator by pulse shaping". Optics Express, Vol. 21, Issue 26, 32013-32018 (2013).
- [2] A. G. Kostenbauder, IEEE J. Quantum Electron. 26, 1148-1157 (1990).
- [3] Selcuk Akturk et. el., Optics Express, Vol. 13, 8642-8661 (2005).

Content from this work may be used under the terms of the CC BY 3.0 licence (© 2015).