

SIMULATIONS OF THE ELECTRON CLOUD BUILDUPS AND SUPPRESSIONS IN TEVATRON AND MAIN INJECTOR*

Xiaolong Zhang, Jean-Francois Ostiguy
Fermilab, Batavia, IL 60510, U.S.A.

Abstract

To assess the effects of the electron cloud on Main Injector intensity upgrades, simulations of the cloud buildup were carried out using POSINST and compared with ECLOUD. Results indicate that even assuming an optimistic 1.3 maximum secondary electron yield, the electron cloud remains a serious concern for the planned future operational of mode of 500 bunches, 3×10^{11} proton per bunch. Electron cloud buildup can be mitigated in various ways. We consider a plausible scenario involving solenoids in straight section and a single clearing strip electrode (like SNEG in Tevatron) held at a potential of 500V. Simulations with parameters corresponding to Tevatron and Main Injector operating conditions at locations where special electron cloud detectors have been installed have been carried out and are in satisfactory agreement with preliminary measurements.

INTRODUCTION

The basic mechanism of the electron cloud effect (ECE) is well known for proton storage rings[1]. Electrons generated either by beam ionization of the residual gas or by beam particle loss or photons of the synchrotron radiation (like LHC at CERN) on the beam pipe are accelerated across the vacuum chamber by the electrostatic field of a bunched beam. Through secondary emission resulting from electronic impact, more electrons are emitted and accelerated, eventually resulting in an avalanche effect. Saturation is reached when the beam is neutralized or when the electron space charge field near the wall surface suppresses secondary emission. Clearly, the secondary electron yield (SEY) is a determinant factor in setting threshold intensity for cloud generation.

Electron cloud buildup around the beam in the vacuum chamber can reach quasi equilibrium on a relatively short time scale. The cloud can in turn interact with the beam and affect operation of the accelerator through beam loss, instability, emittance growth, vacuum pressure increase and degradation of the beam diagnostic system, etc. Deleterious effects of the electron cloud have already been either observed and/or studied at proton storage rings such as PSR (LANL), RICH (BNL), SNS, SPS and LHC (CERN). Substantial resources have been invested to mitigate these problems. In principle, both the Tevatron (Tev) and Main Injector (MI) could be affected by the ECE. So far, the operational impact has been minimal because the Main Injector's low bunch intensity and the Tevatron's large bunch spacing. Nevertheless, in view of a plan to increase the intensity of the MI much more to

meet the requirements of the Proton Driver Project[2], ECE has become a major concern. Beam studies and simulations are being carried out to understand possible consequences of the ECE as the proton intensity grows in the Fermilab accelerator chain.

MAIN PARAMETERS

The main parameters relevant to the electron cloud simulations in the Tevatron and MI are summarized in Table 1. Results of the simulations will be presented and discussed the following sections.

Table 1: The main machine parameters during studies

	Tevatron	Main Injector
Energy	150~980GeV	8.9~120GeV
Circumference	6283.2 m	3319.4 m
RF frequency	53MHz	53MHz
Bunch Intensity	4×10^{10} p	$6 \times 10^{10} \sim 30 \times 10^{10}$ p
Filling Pattern	30 bunches	504 bunches
Bunch Spacing	5.64 m	5.64 m
Bunch Length σ	0.51m (150GeV)	0.75 m (8GeV)
Beam Size σ	1.2mm(150GeV)	0.5 mm (8GeV)
Elliptical Beam Pipe	12.3cm \times 5cm	12.3cm \times 5cm
Round Beam Pipe	ϕ -7.6cm	ϕ -15.2cm
Vacuum Pressure	20 nTorr	20 nTorr
Bend magnet (T)	0.6 (150GeV)	0.1 (8GeV)

For the Tevatron and MI, the primary electrons are generated only from the ionization of the residual gas and the beam loss. The ionization cross section of 2Mbarn at temperature of 300K and an empirical number of about 3 per lost proton per second of bunch traversal are assumed.

Since the secondary electron yield is a determinant factor for such proton storage rings, precise measurements of the SEY curve are very important.

For both the Tevatron and the MI the vacuum chamber is made out of stainless steel. Samples of the MI beam pipe were analyzed for surface composition and SEY at SLAC[3]. One of the measurements is shown in Figure 1. The maximum yield (δ_{\max}) reaches 1.9, at a corresponding incident energy of 300eV. These values are used in the simulation code to parametrize a model of the SEY. To account for the fact that the SEY decreases when the surface desorbs due to baking and beam "scrubbing" via impact by energetic beam particles, electrons and ions δ_{\max} is slightly scaled down and shifted toward lower energies.

*Work supported by the U.S. Department of Energy under contract No. DE-AC02-07CH11359




Figure 1: Secondary electron yield measured for a sample of the MI stainless steel vacuum chamber.

SIMULATIONS RESULTS

To assess the ECE on proton driver project, extensive simulations were carried out in parallel with an experimental program. Established simulation codes such as ECLOUD, POSINST, PEI and CLOUDLAND were installed locally to support numerical investigations.

An initial assessment and a determination of the threshold for ECE were performed by M. Furman in 2006[4]. The additional results reported here were also obtained with POSINST.

ECE in Field Free Region

In the MI, the injection region features large aperture quadrupoles to maximize acceptance. The vacuum chamber diameter in the section where the quadrupoles are located is circular, with a diameter of 6 inches. A special insertion outfitted with a Retarding Field Analyzer (RAF) was installed in this vicinity to measure the electron flux at the surface. Results of a simulation of ECE build up for a geometry corresponding to the test insertion are shown in Figure 2. The simulations were performed assuming a low δ_{max} of 1.3. For a bunch intensity of $10e10$ proton/bunch which the MI currently achieves with slip-stacked bunches, the computed electron line density grows slowly starting approximately the 350th bunch passage. Comparison with the electron current measure by the RFA[5] for only 84 slip-stacked bunches shows that the initially assumed $\delta_{max} = 1.3$ was too optimistic. Setting $\delta_{max} = 1.7$ results in better agreement with the measurements.




Figure 2: The started even at bunch intensity of $10e10$ proton/bunch for low SEY=1.3.

At the intensity of $30e10$ proton/bunch, the electron line density saturated at the level four times higher with δ_{max} increased from 1.3 to 1.5.

ECE in Bend Magnets

Almost 95% of the MI is filled with magnets, mostly bending dipoles. Within these magnets, electrons are confined longitudinally in the vertical plane by Larmor motion. The expected consequence of this confinement is an enhancement of the ECE compared to a field free region. Figure 3 shows the average electron densities versus bunch length predicted by simulations. The full bunch length is defined as four times of the σ of the longitudinal Gaussian bunch.




Figure 3: ECE in MI elliptical vacuum chamber within bend magnets versus the bunch length.

Even at a low proton bunch intensity of $6e10$, the electron cloud threshold is exceeded for bunch lengths less than 0.54m. This implies that the ECE should take place during ramping, where bunch becomes shorter, in qualitative agreement with experimental observations. At bunch intensities such as those anticipated in the future, full neutralization is reached even for the lowest achievable δ_{max} , independently of bunch length.

Effect of the Clearing Electrode

A clearing electrode is a possible way to mitigate the ECE. For both the Tevatron and MI, a special SNEG electrode has been designed for test purposes. SNEG is a metal strip coated with a low activation temperature (180°C) NEG getter, proving distributed pumping. Kapton is used to provide electrical insulation from the vacuum pipe when a bias voltage is applied for electron clearing. This material can be used under ultra high vacuum conditions, ($1e-11$ Torr) and can also safely be baked at 150°C . It can withstand approximately 80KV/mm. Overall, the design is simple, and simultaneously provides vacuum pumping and electron clearing functionalities.




Figure 4: The scheme of the clearing electrode.

The electrode design is illustrated in Figure 4. The thin strip is held down by the electrical feed-throughs and by gravity. A < 0.5mm Kapton layer provides electrical insulation. For the purposes of simulation, the electric field in the vertical plane is assumed to be uniform. While field distribution could in principle be modeled more accurately, a uniform approximation should be adequate given all the other uncertainties.




Figure 5: ECE can be suppressed by the 500V clearing electrode in the beam pipe.

Calculations show that holding the clearing electrode at a potential of 500V is sufficient to suppress the ECE.

Effect of a Solenoidal Field

The magnetic field of solenoid magnet has proved very effective to suppress the ECE in field free regions at KEKB and in some other machines. A relatively low longitudinal magnetic field confines the electrons and prevents them from hitting the walls. Figure 6 shows the effect of a solenoidal field and compares its effectiveness to that of a clearing electrode. A solenoidal field of approximately 50 G suppresses the ECE.




Figure 6: The electron cloud can be suppressed by 50Gs solenoid or over 500V clearing electrode

Simulations for the Tevatron

Sudden vacuum pressure rises have been observed in the Tevatron[5] in the C0 region, and ECE is a primary suspect.

Simulation results for conditions corresponding to the ECE studies in the Tevatron are shown in Figure 7. For 30 consecutively injected bunches with observed threshold bunch intensity of $4e10$ proton and assuming

$\delta_{max} = 1.3$ everywhere, the electron density is ten times stronger in the bending magnets than the field free region. Historically, the C0 section has had worse vacuum than the rest of the machine, and δ_{max} could be much higher there. This might explain why a significant vacuum jump was observed at C0 while the RFA in the instrumented B49 drift space detected no electron current.




Figure 7: The ECE for 30 proton bunches in Tevatron.

DISCUSSIONS

The simulations show that there is a bunch intensity threshold of over $1e11$ proton/bunch, assuming the lowest possible SEY for a SS vacuum chamber. For the planned $3e11$ MI intensity target, mitigation measures are essential. A combination of clearing electrodes within magnets and solenoids in field-free regions appears effective. Using SNEG as electrode material should improve the MI vacuum. The SNEG clearing electrodes may also prove effective in the C0 region of the Tevatron where the ECE and vacuum are the worse.

ACKNOWLEDGEMENTS

The authors are greatly indebted to Miguel Furman of LBL for his support with POSINST code and his deep theoretical insights. We thank Weiren Chou for his leadership in coordinating research activities. We are also grateful to Frank Zimmermann, Kazuhito Ohmi, Lanfa Wang and Kathy Harkay for valuable discussions and support.

REFERENCES

- [1] M.A. Furman, "The Electron-Cloud Effect in the Arcs of the LHC", LHC Project Report 180, May 20, 1998
- [2] W. Chou, "2 MW upgrade of the Fermilab Main Injector", FERMILAB-CONF-03-145, Jun 2003
- [3] Robert E. Kirby, "SEY and Surface Analysis Measurements on FNAL Main Injector Ring S/S Beam Chamber Material", SLAC-TN-06-031, Sep 18, 2006
- [4] M. A. Furman, "A preliminary assessment of the electron cloud effect for the FNAL main injector upgrade", FERMILAB-PUB-05-258-AD, June 2006
- [5] Xiaolong Zhang et al, "ELECTRON CLOUD STUDIES AT TEVATRON AND MAIN INJECTOR", THPAN117, this PAC07 conference, June 2007.